

### **Specifications**

# SMART Board® 6065-V3 interactive display

Model SPNL-6065-V3/SBID-6065

# Overview

The SMART Board® 6065-V3 interactive display combines SMART's proprietary DViT® (Digital Vision Touch) technology with the premium touch experience of SMART Learning Suite, including SMART Notebook® software.

The 65" 4K ultra-high-definition LED display provides optimal image clarity and wide viewing angles. With the Pen  $ID^{\infty}$  feature, you can assign different appearances to the two pens and write or draw over any application in digital ink.




Object awareness™ allows you to perform mouse functions with your finger, write in digital ink with the pen, and erase with your palm or eraser—all without switching tools or modes. You can use a variety of gestures in applications, and two users can write or draw at the same time.

See education.smarttech.com for more information.

# Dimensions and weights<sup>1</sup>

### **Dimensions**



#### Weight

153 lb. (69.3 kg)<sup>2</sup>

#### Shipping dimensions (including pallet)

67 5/8" × 49 3/8" × 11 7/8" (171.8 cm × 125.3 cm × 30.3 cm)

### Shipping weight

187 lb. (85 kg)



As an ENERGY STAR® certified signage display, the SMART Board 6065-V3 interactive display meets strict energy efficiency guidelines set by the U.S. Environmental Protection Agency and Department of Energy.

 $^{1}$ All dimensions  $\pm$  1/8" (0.3 cm). All weights  $\pm$  2 lb. (0.9 kg).

<sup>2</sup>Doesn't include accessories.

### Hardware

#### Interaction

Touch technology DViT technology 8 touches<sup>3</sup> Multitouch capabilities Object awareness Behavior adjusts automatically to the tool or object you're using, whether it's a pen, finger, eraser or palm. Pen ID Two people can write independently and simultaneously, using different colored ink. Display LED Type Aspect ratio 16:9 Optimal resolution 3840 × 2160 at 60 Hz Horizontal frequency 26.97-75.0 kHz Vertical frequency 23.9-60.32 Hz Contrast ratio (typical) 4000:1  $360 \text{ cd/m}^2$ Brightness (maximum) Pixel dimensions 0.372 mm × 0.372 mm Gamut 88% of NTSC Viewing angle 178° Presence detection Presence detection sensor on the bottom frame Audio 10 W integrated speakers (×2) Noise level <35 dBA Included cables and 8' (2.4 m) country-specific power cable accessories 16' 5" (5 m) USB cable Pen (×2) For a standard VESA® 300 mm × 400 mm mounting plate Mounting holes Lower mounting holes 13 3/4" (35 cm) from the bottom of the display Mounting bracket depth Minimum depth of 15/8" (4.2 cm) for all components on the back of the display to clear the wall

<sup>&</sup>lt;sup>3</sup>Requires SMART Product Drivers to be installed. Some applications might not support 8 touches. Only up to 4 touch points and no pen support on Chrome OS" operating system.

# Connectors

Connector panel OPS slot

HDMI®1 input connectors

HDMI 1.4 in USB Type-B

HDMI2 input connectors

HDMI 1.4 in USB Type-B

DisplayPort input connectors

DisplayPort in USB-Type-B Stereo 3.5 mm out

RS-232 in

Bottom USB 2.0 Type-A

Back AC power inlet

HDCP support Version 1.4

# Installation requirements

Interactive display See the SMART Board 6000 and 6000 Pro series interactive displays installation and

maintenance guide (smarttech.com/kb/171167)

### Room computers and guest laptops

General requirements See the SMART Notebook software release notes

4K UHD Graphics card that can support 3840 × 2160 resolution at 30 Hz and that has 1 GB DDR 5 memory

See Minimum requirements for Ultra High Definition or 4K on your interactive flat panel

Mini-computers

General requirements See the SMART Notebook software release notes

Dimensions Smaller than  $10" \times 10" \times 2"$  (25.4 cm  $\times$  25.4 cm  $\times$  5.1 cm)

Weight Less than 10 lb. (4.5 kg)

Mounting VESA 75 mm  $\times$  75 mm or 100 mm  $\times$  100 mm mounting pattern

# Cable requirements

**HDMI** Maximum length: 23' (7 m)

### **NOTES**

- Use only certified HDMI cables that have been tested to support the performance standard you require.
- The performance of cables longer than 23' (7 m) is highly dependent on the cable's quality.

#### SMART BOARD 6065-V3 INTERACTIVE DISPLAY - MODEL SPNL-6065-V3/SBID-6065

**DisplayPort** DisplayPort 1.2 compliant or better

Maximum length: 23' (7 m)

**USB** Maximum length: 16' (5 m)

Important Using cables that exceed these maximum lengths can produce unexpected results, such as

degraded picture quality or USB connectivity. Refer to SMART installation standards (smarttech.com/kb/171035) for comprehensive information about cables and extensions for

SMART hardware products.

# Storage and operating requirements

Power requirements 100V to 240V AC, 50 Hz to 60 Hz

#### Power consumption at 77°F (25°C)

Standby mode 1.66 W

Normal operating

(out-of-box)

83 W

Operating temperature 41–95°F (5–35°C)

Storage temperature -4–140°F (-20–60°C)

**Humidity** 5–80% relative humidity, non-condensing

# Certification and compliance

Regulatory certification UL (U.S./Canada), FCC, IC, CE, CCC, EAC, RCM, KC, PSE

### **Environmental compliance**

European Union REACH, RoHS, WEEE and Packaging

U.S. Packaging and Conflict Minerals

# Purchasing information

# Order number (U.S. and Canada)

SPNL-6065-V3 SMART Board 6065-V3 interactive display with one-year subscription of SMART Learning Suite

# Order number (Europe and Asia)

SBID-6065 SMART Board 6065-V3 interactive display with one-year subscription of SMART Learning Suite

Optional accessories See smarttech.com/accessories

Warranty Three-year limited equipment warranty

# Extended warranty (U.S. and Canada)

EWY1-SPNL-6065 One-year warranty extension

EWY2-SPNL-6065 Two-year warranty extension

### Extended warranty (Europe and Asia)

EWY1-SBID-6065 One-year warranty extension

EWY2-SBID-6065 Two-year warranty extension

smarttech.com/support smarttech.com/contactsupport

© 2018–2019 SMART Technologies ULC. All rights reserved. SMART Board, SMART Notebook, DViT, Pen ID, Object Awareness, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. iPhone, iPad, iPod touch and Safari are trademarks of Apple Inc., registered in the U.S. and other countries. Google Play, Android and Chrome are trademarks of Google Inc. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. 04/2019.