## Specifications SMART Board® MX175 interactive flat panel Model SBID-MX175

#### Overview

Digital whiteboard. Web browser. Screen sharing. Our newest SMART Board® MX100 series has all the essentials educators need for bringing the devices students love into any learning environment. The SMART Board MX100 series is a great value for schools that need an interactive display on a budget. Available in 65", 75" and 86" sizes—all in 4K Ultra HD resolution—with SMART Learning Suite included, and a standard three-year warranty.




The display includes a subscription for SMART Learning Suite applications, including SMART Notebook<sup>®</sup> lessons and SMART lab<sup>™</sup> activities.

The built-in e<sup>3</sup> experience puts everything you need in one place, available at the touch of a finger. There's a browser, a digital whiteboard and wireless screen sharing for iOS and Android<sup>™</sup> mobile devices and a wide variety of computers

#### Dimensions and weights<sup>1</sup>

#### Dimensions



Weight 133 lb. (60 kg) Active touch area 66 1/2" × 38" (168.8 cm × 96.6 cm) Active image area 65" × 36 1/2" × (165 cm × 92.8 cm) Shipping dimensions (including pallet) 75" W × 50 1/4" H × 11 5/8" D (190.5 cm × 127.7 cm × 29.5 cm) Shipping weight 192 lb. (87 kg)

#### <sup>1</sup>All dimensions $\pm$ 1/8" (0.3 cm). All weights $\pm$ 2 lb. (0.9 kg).

#### SPECIFICATIONS SMART BOARD MX175 INTERACTIVE FLAT PANEL

#### Hardware

#### Interaction

Touch technology	IR
Multitouch capabilities	Up to 20 simultaneous touch, writing, or erase points <sup>23</sup>
Object Awareness™	Behavior adjusts automatically to the tool or object you're using, whether it's a pen, finger or palm.

#### Display

Туре	LED backlit LCD (A grade)
Aspect ratio	16:9
Resolution	4K UHD
Positioning accuracy	<2 mm
Horizontal frequency (minimum)	31 Hz
Horizontal frequency (maximum)	140 kHz
Vertical frequency (minimum)	59 Hz
Vertical frequency (maximum)	70 Hz
Contrast ratio (typical)	1600:1
Brightness (maximum)	≥350 cd/m <sup>2</sup>
Refresh frequency	60 Hz
Pixel clock (maximum)	600 MHz
Pixel dimensions	0.43 mm
Viewing angle	178°
Response time (typical)	8 ms
Ambient light sensor	Yes
Audio	10 W integrated speakers (×2)
Wireless	802.11 Wi-Fi a/b/g/n/ac 2.4GHz and 5GHz

 $^2{\rm Requires}$  SMART Product Drivers to be installed. Some applications might not support all touch points.

<sup>3</sup>Chrome OS is limited to 10 simultaneous touches. Pens and eraser are not supported.

Included cables and accessories	Country-specific power cable 16' 5" (5 m) USB cable Wall mount bracket kit Pen (×2) Antennas (×2) IR remote control
Mounting holes	For a standard VESA® 600 mm × 400 mm mounting plate with M8 screws
	NOTE
	A wall mount is included with the display.
Mounting bracket depth	Minimum clearance depth of 11/4" (3 cm) for all components on the back of the interactive display for airflow
Connectors	
Back	Connector panel:HDMI® in (with HDCP 2.2 support) (×2)VGA inRJ45 (×2)USB Type-B (for touch applications) (×1)USB 2.0 Type-A (×2)HDMI 1.4 out (HDCP-compliant) <sup>45</sup> S/PDIF outStereo 3.5 mm outStereo 3.5 mm in (for VGA in)OPS slotRS-232 control
Front	HDMI in (with HDCP 1.4 support) USB 2.0 Type-B (for touch applications) USB 2.0 Type-A (×2)
Applications	
Interactive display	Whiteboard Web browser EShare wireless screen share One-year subscription to SMART Learning Suite

<sup>4</sup>HDCP is always enabled. Content is shown in 480p resolution if the external display doesn't support HDCP.

<sup>5</sup>HDMI out is an optional feature. Contact your authorized SMART reseller (smarttech.com/where) for further ordering instructions.

# Supported languages for e<sup>3</sup> experience

es Danish Dutch English Finnish French German Italian Norwegian Russian Simplified Chinese Spanish Swedish

### Installation requirements

Interactive display	See the SMART Board MX100 series interactive displays installation and maintenance guide
	(smarttech.com/kb/171288)

#### Room computers and guest laptops

General requirements	See the SMART Notebook software release notes
4K UHD	Graphics card that supports 3840 × 2160 resolution at 30 Hz and that has 1 GB DDR 5 memory See Minimum requirements for Ultra High Definition or 4K on your interactive flat panel
Mini-computers	
General requirements	See the SMART Notebook software release notes

### Cable requirements

HDMI	Maximum length: 23' (7 m)
	NOTES
	<ul> <li>Use only certified HDMI cables that have been tested to support the performance standard you require.</li> </ul>
	• The performance of cables longer than 23' (7 m) is highly dependent on the cable's quality.
USB	Maximum length: 16' (5 m)
Important	Using cables that are longer than these maximum lengths can produce unexpected results, such as degraded picture quality or USB connectivity. Refer to <i>SMART installation standards</i> (smarttech.com/kb/171035) for comprehensive information about cables and extensions for SMART hardware products.

Storage and operating requirements

Power requirements	100V to 240V AC, 50 Hz to 60 Hz
i onei ieganemento	

#### Standalone interactive display power consumption at 77°F (25°C)

Standby mode	≤0.3 W
Normal operating (out-of-box)	238 W
Operating temperature	41–95°F (5–35°C)
Storage temperature	-4–140°F (-20–60°C)
Humidity	5–80% relative humidity, non-condensing

#### Certification and compliance

Regulatory certification (Model ID: IDX75-1)	UL (U.S./Canada), FCC, IC, CE, EAC, RCM, NRCS, SABS, CITC, TRA, CCC
Environmental compliance	ie in the second s
European Union	REACH, RoHS, Battery, WEEE and Packaging

CONEG Packaging, California Proposition 65 and Conflict Minerals

## Purchasing information

U.S.

SMART Board MX175 interactive display with one-year subscription of SMART Learning Suite
See smarttech.com/accessories
Three-year limited equipment warranty
SBID-MX175 interactive display one-year warranty extension
SBID-MX175 interactive display two-year warranty extension

smarttech.com/support

smarttech.com/contactsupport

<sup>© 2019</sup> SMART Technologies ULC. All rights reserved. SMART Board, SMART Notebook, SMART lab, SMART amp, SMART response 2, DViT, Pen ID, Object Awareness, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. iPhone, iPad, iPod touch and Safari are trademarks of Apple Inc., registered in the U.S. and other countries. Google Play, Android and Chrome are trademarks of Google Inc. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. October 8, 2019.