

SMART Board® Pro displays for business

Models and specifications may vary by region. Please contact your local representative for details.

Software	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
SMART Meeting Pro® Room license	Optional	Included	Included	Included
SMART Meeting Pro Personal license (×10)	Optional	Included	Included	Included
SMART TeamWorks™ Room license	Optional	Optional	Optional	Optional
SMART Product Drivers and SMART Ink®	Included	Included	Included	Included
SMART Remote Management	Optional	Subscription for the length of the warranty	Subscription for the length of the warranty	Subscription for the length of the warranty

1

Embedded features	Digital whiteboard Web browser Screen sharing Input select File manager Overlay Split screen Picture-in-picture (PIP) with touch pass-through Interactive widgets App library	Digital whiteboard Web browser Screen sharing Personalized home screen and settings Input select with live input preview Split screen Interactive widgets Templates, graphic organizers, and manipulatives File and app libraries Google Drive™ and OneDrive™ access	Digital whiteboard Web browser Screen sharing Personalized home screen and settings Input select with live input preview Split screen Interactive widgets Templates, graphic organizers, and manipulatives File and app libraries Environmental sensors dashboard Tool Explorer™ Image Editor Google Drive and OneDrive	Digital whiteboard Web browser Screen sharing Personalized home screen and settings Input select with live input preview Split screen Interactive widgets Templates, graphic organizers, and manipulatives File and app libraries Environmental sensors dashboard Google Drive and OneDrive access
			access	
Display	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
Screen sizes (diagonal)	65" 75" 86"	55" 65" 75" 86"	65" 75" 86"	65" 75" 86"
Resolution	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)	4K UHD (3840 × 2160)
Refresh rate	60 Hz	60 Hz	60 Hz	60 Hz
Lifespan	≥ 50,000 hours	≥ 50,000 hours	≥ 50,000 hours	≥ 50,000 hours
LCD quality	Grade A	Grade A	Grade A	Grade A

Brightness ¹	400 cd/m ²	55": 300 cd/m ² 65", 75", 86": 400 cd/m ²	350 cd/m ²	490 cd/m ²
Display response time	≤ 8 ms	≤ 8 ms	≤ 8 ms	≤ 8 ms
Glass	Full heat-tempered Anti- glare Bonded	55": Full heat-tempered Anti- glare 65", 75", 86": Full heat- tempered Anti-glare Bonded	Full heat-tempered Anti-glare	Optically bonded Anti-glare Anti-fingerprint Heat- tempered
Sensors	Ambient light Infrared	Ambient light Infrared	Proximity Ambient light Infrared Room temperature Humidity	Proximity Ambient light Infrared Room temperature Humidity Volatile organic compound (VOC) Particulate Matter (PM _{2.5}) ²
Speakers	2 integrated 20 W speakers	55": 2 integrated 15 W speakers 65", 75", 86": 2 integrated 20 W speakers	2 integrated 20 W speakers	Integrated soundbar featuring two 20 W speakers and a 15 W subwoofer
Microphone	N/A	Integrated linear six- microphone array with support for onboard acoustic echo cancellation	Integrated linear four- microphone array	Integrated linear eight- microphone array with visual mute status indicator and support for onboard acoustic echo cancellation
NFC sign in to a SMART Account				

¹Brightness of individual displays can vary.

²The display's environmental sensors are not life safety rated sensors: they provide general information only.

Convenience buttons	Power Home Volume Freeze frame	Power Home Volume Input select Screen shade Freeze frame	Power Home Volume Screen shade Freeze frame	Power Home Volume Microphone mute Freeze frame
Touch and interaction	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
Touch technology	Advanced infrared	HyPr Touch™ with Advanced IR	HyPr Touch with InGlass™	HyPr Touch with Advanced IR
Frame rate	≥ 125 Hz	≥ 200 Hz	≥ 150 Hz	≥ 300 Hz
Touch response time	≤ 8 ms	≤ 5 ms	≤ 9 ms	≤ 4 ms
Accuracy	1 mm	1 mm	1 mm	1 mm
Minimum object size	2 mm	2 mm	2 mm	2 mm
Continuous touch points (fully differentiated)	Up to 40 touch points (OS dependent)	Up to 20 touch points (OS dependent)	Up to 20 touch points (OS dependent)	Up to 40 touch points (OS dependent)
Interaction types	Pens Touch Gesture Palm erase	Pens Touch Gesture Palm erase	Pens Touch Gesture Erase Fine erase Highlighter Tool Explorer tools	Pens Touch Gesture Erase Fine erase Highlighter Tool Explorer tools
Eraser, pen, and touch differentiation (simultaneous tool differentiation)	✓ 3			
Continuous pen, touch, and erase (continuously write, move, and gesture and erase simultaneously)	✓ 3			
Eraser types	Palm erase	Palm erase	Palm erase Fine erase Eraser blocks	Palm erase Fine erase Eraser blocks

³A connected computer with SMART Product Drivers installed is required. Only supported in SMART Notebook and SMART Ink.

Azimuth erasing	Not supported	Not supported	Eraser blocks	Eraser blocks
Palm rejection	Non-writing hand in Android™ whiteboard	Not supported	Writing and non-writing hand	Writing and non-writing hand
Object recognition	✓ 4	\checkmark	\checkmark	\checkmark
Pressure-sensitive ink			\checkmark	\checkmark
Automatic pen color recognition			✓	✓
Unique Pen ID support	2: Windows® and macOS, when using a finger to write or draw	2: Windows and macOS, when using a finger to write or draw	Unlimited (available: 6 pens and dual-color highlighter)	Unlimited
Tools included	Pens (×2)	Pens (×2)	Pens with unique IDs and fine erasers (*2) Erasers with angle of orientation (*2)	Pens with unique IDs and fine erasers (×2) Erasers with angle of orientation (×2)
Pen type	Battery-less pen	Battery-less pen	Battery-less pen with fine eraser	Hybrid internally powered pen with fine eraser
Tool holders	Magnetic Frame-mounted	Magnetic Frame-mounted	Intelligent Magnetic Frame-mounted	Intelligent Magnetic Frame-mounted
Additional pen colors (sold separately)	N/A	N/A	4 color pen set: blue, green, purple, and orange (with holder) Dual-color highlighter Magic Pen	4 color pen set: blue, green, purple, and orange (with holder) Dual-color highlighter Magic Pen Multi-tool stylus (coming 2024)

 $^{^4\}mbox{When}$ connected to a computer with SMART Product Drivers installed

Embedded Android OS	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
Operating system	Android version 11.0 (upgradable to Android 13.0)5	Android version 11.0	Android version 11.0	Android version 11.0
CPU	Quad-core	Quad-core	Quad-core	
Memory	8 GB DDR4	8 GB DDR4	6 GB DDR	8 GB DDR4
OS architecture	32-bit (Android 11) 64-bit (Android 13)	64-bit	64-bit	64-bit
Storage	64 GB	32 GB (up to 544 GB)	32 GB (up to 544 GB)	32 GB (up to 544 GB)
User interface	4K UHD (3840 × 2160)	1920 × 1080, scaler up to 2K	1920 × 1080, scaler up to 2K	1920 × 1080, scaler up to 2K
Updates	Over-the-air (OTA)	Automatic OTA	Automatic OTA	Automatic over-the-air (OTA)
Made and a second of the state	CV (Va)	14V (V 4) B	22222 (V2) B	av = .
Network connectivity	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
Wired	RJ45 (×2) 1000baseT	RJ45 (×2) 1000baseT	RJ45 (×2) 1000baseT	QX Pro series RJ45 (×2) 1000baseT
•	. ,	` ,		
Wired	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, WPA3 PSK, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP	RJ45 (×2) 1000baseT IEEE 802.11ac (Wi-Fi 5) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP
Wired Wi-Fi	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, WPA3 PSK, and 802.1X EAP authentication protocols Wi-Fi access point 5.0 dual mode	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ac (Wi-Fi 5) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols
Wired Wi-Fi Bluetooth®	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, WPA3 PSK, and 802.1X EAP authentication protocols Wi-Fi access point 5.0 dual mode	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ac (Wi-Fi 5) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols
Wired Wi-Fi Bluetooth®	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, WPA3 PSK, and 802.1X EAP authentication protocols Wi-Fi access point 5.0 dual mode	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ac (Wi-Fi 5) supporting WEP, WPA, WPA2 PSK, and 802.1X EAP authentication protocols	RJ45 (×2) 1000baseT IEEE 802.11ax (Wi-Fi 6) supporting WEP, WPA, WPA2, PSK, WPA3, and 802.1X EAP authentication protocols

 $^{^5\}mbox{Update}$ available in 2024 using a USB drive (not available OTA).

microSD slot		\checkmark		\checkmark
HDMI®	HDMI 2.0 with HDCP 1.4 and HDCP 2.2 support	HDMI 2.1 4K @ 60Hz with HDCP 1.4 and HDCP 2.3 support	HDMI 2.1 with HDCP 1.4 and HDCP 2.3 support	(×3) HDMI 2.1 with HDCP 1.4 and HDCP 2.3 support
Display Port 1.2	\checkmark			
VGA video	\checkmark	\checkmark	\checkmark	\checkmark
Stereo 3.5 mm (variable)	\checkmark	\checkmark	\checkmark	\checkmark
RS-232 (DB-9 connector)	\checkmark	\checkmark	\checkmark	\checkmark
RJ45 (LAN IN)	\checkmark	\checkmark	\checkmark	\checkmark
USB Type-C	(×2) Front: 15 W power delivery	Front: 15 W power delivery; Side: 65 W power delivery	(×2) 65 W power delivery	(×3) Front and side: 65 W power delivery; Top: 15 W power delivery
USB 2.0 Type-A	\checkmark	\checkmark	\checkmark	\checkmark
USB 3.2 Gen 1 Type-A	√ (×4)	√ (×4)	✓ (×3)	✓ (×3)
USB 2.0 Type-B	✓ (×2)		\checkmark	
USB 3.2 Gen 1 Type-B		√ (×4)	✓ (×3)	√ (×4)
Outputs	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
HDMI	HDMI 2.0 with HDCP 1.4 and 2.2 support	HDMI 2.1 with HDCP 2.3 support	HDMI 2.1 with HDCP 2.3 support	HDMI 2.1 with HDCP 1.4 and 2.3 support
Stereo 3.5 mm (variable)	\checkmark		\checkmark	\checkmark
S/PDIF optical (fixed)	\checkmark	\checkmark	\checkmark	\checkmark
RJ45 (LAN OUT)	\checkmark		\checkmark	\checkmark

	AV 410		2222 (12) 2	
OPS accessory slot	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
OPS support	SMART PCM or AMG1	SMART PCM or AM60	SMART PCM or AM60	SMART PCM or AM60
OPS power delivery	90 W	60 W	60 W	100 W
Installation	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
VESA mounting points	\checkmark	\checkmark	\checkmark	\checkmark
Wall mount bracket	Optional	Optional	Included	Included
Included cables and accessories	Pens (×2) Remote control Country-specific power cable USB Type-A to Type-B cable	Pens (×2) Remote control Country-specific power cable USB Type-A to Type-B cable	Pens (×2) Erasers (×2) Remote control Country-specific power cable USB Type-A to Type-B cable	Pens (×2) Erasers (×2) Remote control Country-specific power cable USB Type-A to Type-B cable USB Type-C cable
Certification and compliance6	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series
US / Canada	cULus FCC ISED TSCA CONEG Packaging Proposition 65	UL FCC ISED TSCA CONEG Packaging Proposition 65	UL FCC ISED TSCA CONEG Packaging Proposition 65	UL FCC ISED TSCA CONEG Packaging Proposition 65
EU / EEA / EFTA / UK	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign	CE UKCA LVD CB EMCD RED REACH RoHS Battery WEEE Packaging POP Ecodesign

⁶Product availability may vary by region.

This product has received additional certifications not listed here.

SMART Board Pro displays for business

Australia / New Zealand	RCM	RCM	RCM	RCM
Performance standards	ENERGY STAR® HDMI HDCP	ENERGY STAR HDMI HDCP	ENERGY STAR HDMI HDCP	ENERGY STAR HDMI HDCP
Warranty	GX (V3) series	MX (V4) Pro series	6000S (V3) Pro series	QX Pro series

smarttech.com smarttech.com/contact

© 2024 SMART Technologies ULC. All rights reserved. SMART Board, SMART Meeting Pro, SMART TeamWorks, SMART Ink, HyPr Touch, Tool Explorer, smarttech, the SMART logo and all SMART taglines are trademarks or registered trademarks of SMART Technologies ULC in the U.S. and/or other countries. The Adopted Trademarks HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries. The Bluetooth word mark is owned by the Bluetooth SIG, Inc. and any use of such marks by SMART Technologies ULC is under license. Google Drive, Android, and Chromecast are trademarks of Google Inc. Windows and OneDrive are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. macOS is a trademark of Apple Inc., registered in the U.S. and other countries. All other third-party product and company names may be trademarks of their respective owners. This product and/or use thereof is covered by one or more of the following U.S. patents: www.smarttech.com/patents. Contents are subject to change without notice. March 14, 2024.